

Printing date 19.02.2018 Version number 4 Revision: 19.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Atlantic 4T 25W-40

· Article number: 01.60.15

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

• Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

SU3 Industrial uses: Uses of substances as such or in preparations at industrial

sites

SU21 Consumer uses: Private households / general public / consumers

Product category
 PC24 Lubricants, greases, release products

• Process category PROC1 Chemical production or refinery in closed process without likelihood of

exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment

conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-

dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at

dedicated facilities

PROC20 Use of functional fluids in small devices

PROC9 Transfer of substance or mixture into small containers (dedicated filling

line, including weighing)

· Environmental release

category ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or

onto article)

ERC7 Use of functional fluid at industrial site

· Application of the substance /

the mixture Engine oil

 \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kroon Oil BV

Dollegoorweg 15 NL-7602 EC ALMELO Tel.: +0031-(0)546-818165

· Further information obtainable

from: Product safety department - vib@kroon-oil.nl

· 1.4 Emergency telephone

number: +31 (0)546 818165 (9 AM to 4 PM, Monday to Friday)

NL - National Poison Information Centre (NVIC):

Tel.nr.: +31 30 - 2748888 - Only for the purpose of informing medical personnel in

case of acute intoxications.

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictogramsSignal wordVoid

• **Hazard statements** H412 Harmful to aquatic life with long lasting effects.

• **Precautionary statements** P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 2)

Printing date 19.02.2018 Version number 4 Revision: 19.02.2018

Trade name: Atlantic 4T 25W-40

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	1-<2.5%
I	bis(nonylphenyl)amine Aquatic Chronic 4, H413	1-<2.5%
NLP: 500-209-1	nonylphenol, branched, ethoxylated Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.1-<1%
EC number: 310-154-3	Dodecylphenol, mixed isomers (branched) Repr. 1A, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1-<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.
 After skin contact: Generally the product does not irritate the skin.

After eye contact:
 After swallowing:
 Rinse opened eye for several minutes under running water.
 Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

 4.3 Indication of any immediate medical attention and special

treatment needed If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, dry chemical, or foam. Water can be used to cool and protect exposed

material.

· For safety reasons unsuitable

extinguishing agents: Water with full jet

 \cdot 5.2 Special hazards arising

from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Wear protective clothing.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

Remove from the water surface (e.g. skim or suck off).

• 6.4 Reference to other sections No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Avoid the formation of oil haze.

· Information about fire - and

explosion protection: No special measures required.

(Contd. on page 3)

Printing date 19.02.2018 Version number 4 Revision: 19.02.2018

Trade name: Atlantic 4T 25W-40

(Contd. of page 2)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical facilities: No further data; see item 7.

· 8.1 Control parameters · Ingredients with limit values that require monitoring at the

workplace: Contains mineral oil. Under conditions which may generate mists, observe the

OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and

hygienic measures: Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

· Protection of hands:



Wear gloves for the protection against chemicals according to EN 374.

Oil resistant gloves

· Material of gloves Nitrile rubber, NBR

PVC gloves Neoprene gloves

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material.

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid Colour: Brown · Odour: Characteristic

· Change in condition

Melting point/freezing point: Undetermined.

Printing date 19.02.2018 Version number 4 Revision: 19.02.2018

Trade name: Atlantic 4T 25W-40

(Contd. of page 3)

Initial boiling point and boiling range: Undetermined. · Flash point: >110 °C · Flammability (solid, gas): Not applicable. · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. **Upper:** Not determined. 0.889 g/cm³ · Density at 20 °C: · Solubility in / Miscibility with water: Not miscible or difficult to mix. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: 40°C 152 mm²/s (ASTM D445)

No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability
· Thermal decomposition /

· 9.2 Other information

conditions to be avoided: To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions
10.4 Conditions to avoid
10.5 Incompatible materials:

Reacts with strong oxidising agents.
No further relevant information available.
No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

Skin corrosion/irritation
 Serious eye damage/irritation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· Respiratory or skin

sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for

reproduction)This product contains mineral oils which are considered to be severely refined and

not considered to be carcinogenic under IARC. The IP 346 test demonstrates that

all of the oils in this product contain less than 3% extractables.

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard
All of the oils in this product contain less than 3% extractables.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability
 Other information:
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.
 No further relevant information available.

· Ecotoxical effects:

· Remark: Harmful to fish

• Remark: This material is expected to be harmful to aquatic organisms. The product has not

been tested. The statement has been derived from the properties of the individual

components.

(Contd. on page 5)

Printing date 19.02.2018 Version number 4 Revision: 19.02.2018

Trade name: Atlantic 4T 25W-40

(Contd. of page 4)

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

Do not allow undiluted product or large quantities of it to reach ground water, water

course or sewage system. Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR/ADN, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/ADN, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group · ADR/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of Marpol		
and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances

- ANNEX I None of the ingredients is listed.

· REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3, 30

National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H360F May damage fertility.

H400 Very toxic to aquatic life.H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 6)

Printing date 19.02.2018 Version number 4 Revision: 19.02.2018

Trade name: Atlantic 4T 25W-40

(Contd. of page 5)

Toxic to aquatic life with long lasting effects. H411

H413 May cause long lasting harmful effects to aquatic life.

· Department issuing SDS: Product safety department. · Contact: Product safety department

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer · Abbreviations and acronyms:

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 1A: Reproductive toxicity - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

· Sources

^{*} Data compared to the previous version altered.