



Report No HAPER22060260R2

Page 1 of 9

化学品安全技术说明书

Safety Data Sheet (SDS)

产品名称

Fill tire glue

(Sample Name)

委托单位

Taixing Double Wheel Huai River Vehicle parts Co.,Ltd.

(Applicant)

检验类别

Delegate testing

(Testing Category)

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD





Safety Data Sheet (SDS)

Product name: Fill tire glue
According to European Community REGULATION (EC) No. 1907/2006
and REGULATION (EC) No. 1272/2008
Revision date: Jul.13,2022
Prepared date: Jul.13,2022

Page 2 of 9

Applicant Taixing Double Wheel Huai River Vehicle parts Co.,Ltd.

Address Tianxing Village, Binjiang Town, Taixing City, Jiangsu Province, China

Sample Information

Sample Name Fill tire glue

*The information above is provided and confirmed by the applicant.

Service Request Date Jun.15,2022

Report Preparation Period Jun.15,2022 to Jun.22,2022

Service Requested According to the customer's application, this safety data sheet is produced in accordance with European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008.

Signer :

Date :

Jul.13,2022





Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 3 of 9

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

PRODUCT NAME	Fill tire glue
Manufacturer/Supplier	Taixing Double Wheel Huai River Vehicle parts Co.,Ltd.
ADDRESS	Tianxing Village, Binjiang Town, Taixing City, Jiangsu Province, China
CONTACT PERSON	Gui Baquan
TEL	13365238898
E-mail	—
FAX	491716219@qq.com

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable liquids, Category 2

Aspiration hazard, Category 1

Specific target organ toxicity – single exposure, Category 3

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

Skin sensitization, Category 1

2.2 GHS label elements, including precautionary statements



Pictogram(s)

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H336 May cause drowsiness or dizziness

H411 Toxic to aquatic life with long lasting effects

H317 May cause an allergic skin reaction

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

Response

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 4 of 9

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P331 Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

P391 Collect spillage.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container in accordance with local regulations.

Physical and chemical hazards

Highly flammable liquid and vapor.

Health hazards

May be fatal if swallowed and enters airways. Can cause drowsiness or dizziness. May cause allergic skin reactions.

Environmental hazard

Toxic to aquatic life with long lasting effects.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Weight in Percent (%)	EC No.	Notes
C5	109-66-0	75	203-692-4	—
Natural rubber	9006-04-6	20	232-689-0	—
Abietic acid	8050-09-7	5	232-475-7	—

4 FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Get medical attention if you feel uncomfortable.

In case of skin contact

Remove contaminated clothing and wash skin thoroughly with soap and water. Get medical attention if you feel uncomfortable.

In case of eye contact

Separate the eyelids and rinse with running water or saline. Get medical attention if you feel uncomfortable.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Get medical attention if you feel uncomfortable.

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 5 of 9

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 3.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, dry chemical, foam or carbon dioxide.

Avoid using DC water to extinguish the fire. Direct current water may cause splashing of flammable liquids and spread the fire.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Firefighters should wear a gas-filled respirator or an activated carbon mask, wear a full-body fire suit and extinguish the fire in the upwind direction.

Move the container from the fire to the open space as much as possible.

If the container in the fire has changed color or sounded from a safe pressure relief device, it must be evacuated immediately.

Isolation of the accident site, prohibiting unrelated personnel from entering. Contain and handle fire water to prevent environmental pollution.

5.4 Further information

no data available

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place at room temperature and humidity. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end uses

no data available

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 6 of 9

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested: Dermatril® (Aldrich Z677272, Size M)

Splash protection

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 30 min

Material tested: Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance	Light yellow transparent viscous liquid
b) Odour	Slightly pungent odor
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 7 of 9

f) Initial boiling point and boiling range	> 50°C
g) Flash point	Closed cup flash point <23°C
h) Evaporation rate	no data available
i) Ignition temperature	no data available
j) Upper/lower flammability or explosive limits	Flammable liquid and non-explosive
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Autoignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available

9.2 Other safety information

No data available

10 STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxides, strong acids, strong bases.

10.6 Hazardous decomposition products

no data available

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 8 of 9

confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available

12 ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Recycle as much as possible.

If it cannot be recycled, use incineration for disposal or consult a licensed waste disposal unit for proper disposal.

When burying, it must be implemented in accordance with government regulations.

The finished product or waste after heat molding does not decompose at normal temperature.

Remember: Do not allow spills and cleaning waste to flow into municipal sewers and open bodies of water.

Contaminated packaging

Return the container to the manufacturer or dispose of it in accordance with national and local regulations.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: UN1265

IMDG: UN1265

IATA: UN1265

14.2 UN proper shipping name

ADR/RID: PENTANES, liquid

IMDG: PENTANES, liquid

IATA: PENTANES, liquid

14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



Safety Data Sheet (SDS)

Product name: Fill tire glue

According to European Community REGULATION (EC) No. 1907/2006 and REGULATION (EC) No. 1272/2008

Revision date: Jul.13,2022

Prepared date: Jul.13,2022

Page 9 of 9

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

14.6 Special precautions for user

Shipping classifications may vary depending on the size of the container and the regulations of the country or region.

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory information Please note that waste disposal should also comply with local regulations.

If applicable, the chemical meets the requirements of the Regulation on the Safety Management of Dangerous Chemicals (adopted by the State Council on January 9, 2002).

15.2 Chemical Safety Assessment

no data available

16 OTHER INFORMATION

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Note: This report replaces the original report, HAPER22060260R1 , which is invalid